08 02:40p

REMARKS

Applicant appreciates allowance of claims 10 and 12-42.

Reconsideration and allowance of claims 1-9 are requested.

The newly cited Field has nothing to do with the invention and is from a completely different field and operates in a completely different way to produce a completely different function and result.

Field has a hook 20 and a gravity slide 22 with a hook 24. See Field Figures 1-4 and columns 3, lines 49 – col. 5, 1. 67.

The present invention closes a container, thereby joining projection halves and then inserts the undercut projection in the grid of the fish trap and twists the projection 45°, as claimed.

Field has no relation to the present invention and should be withdrawn.

Cobb has a two part system, the first part 20 holds the grid to a wall, and the second part 22 has two snaps which slide over horizontal wires. The two parts are juxtaposed but have no interrelation. Cobb has nothing to do with the invention and has nothing to do with Field, cannot be combined with Field and even if combined, would not have made obvious the present invention as claimed. Cobb should be withdrawn as a reference.

Claims 1-9 specifically point out wherein when the entire extension including the top of the extension is inserted through one of the generally rectangular openings in the wire grid until the undercuts which form the gap are in the plane of the wire grid and the extension and device to be mounted are rotated roughly 45 degrees.

RECEIVED CENTRAL FAX CENTER APR 0 3 2008

Neither reference teaches those features nor has any relation to those features nor has any relation to each other. Neither reference inserts and twists an extension.

CONCLUSION

Withdrawal of the non-related references, withdrawal of the rejection, reconsideration and allowance are requested.

Respectfully,

James C. Wray, Reg. No. 22,693 Clifford D. Hyra, Reg. No. 60,086 1493 Chain Bridge Road, Suite 300

McLean, Virginia 22101 Tel: (703) 442-4800 Fax: (703) 448-7397

Date: April 3, 2008